

**AMENDMENTS****In the Claims**

Please amend claims 1, 20, 26, 29, and 33-36 as shown herein.

Claims 1-5, 7-29, and 31-36 are pending and are listed following:

1. (currently amended) A method of displaying recently accessed television channels comprising the following steps:

determining whether a television channel has been recently selected by a user;

adding the television channel to a list of selected channels if the television channel was determined to be recently selected;

generating a primary display screen having multiple small display screens, each small display screen corresponding to one of the selected channels; and

displaying a live television broadcast via the primary display screen on a television through a web browser program.

2. (original) A method as recited in claim 1, wherein the determining step comprises the step of monitoring whether the user selects a television channel according to a predetermined method.

3. (original) A method as recited in claim 2, wherein the predetermined method comprises selecting the television channel for a predetermined length of time.

1           4.     **(original)**   A method as recited in claim 2, wherein the  
2 predetermined method comprises selecting the television channel from within one  
3 of the small display screens.

4  
5           5.     **(original)**   A method as recited in claim 2, wherein the  
6 predetermined method comprises entering an identifier corresponding to the  
7 television channel directly into a device controlling a television tuner.

8  
9           6.     **(canceled)**

10  
11          7.     **(original)**   A method as recited in claim 1, wherein one of the  
12 small display screens is active and corresponds to a currently selected television  
13 channel, the active small display screen being differentiated from the remaining  
14 small display screens.

15  
16          8.     **(original)**   A method as recited in claim 7, further comprising the  
17 step of enlarging the active small display screen to full-screen mode and removing  
18 the remaining small display screens.

19  
20          9.     **(original)**   A method as recited in claim 7, further comprising the  
21 step of applying a focus to the active small display screen.

1           **10. (original)**   A method as recited in claim 7, further comprising the  
2 following steps:

3           generating a highlight box to enclose the active small display screen; and  
4           moving the highlight box from the active small display screen to a second  
5 small display screen to render active the second small display screen and to  
6 de-select the active small display screen.

7  
8           **11. (previously presented)**   A method as recited in claim 1, wherein  
9 the generating step comprises the step of depressing an option button on a control  
10 unit to initiate generation of the primary display screen.

11  
12           **12. (original)**   A method as recited in claim 7, further comprising the  
13 step of ordering the selected channels within the list in an order in which the  
14 selected channels were selected.

15  
16           **13. (original)**   A method as recited in claim 7, further comprising the  
17 following steps:

18           displaying a live television signal from the television channel in the active  
19 small display screen;

20           changing to a second television channel within the active small display  
21 screen; and

22           displaying a live television broadcast signal from the second television  
23 channel in the active small display screen.

1           **14. (original)** A method as recited in claim 7, further comprising the  
2 following steps:

3           displaying a live television broadcast signal from the television channel in  
4 the active small display screen; and

5           displaying a still image of a corresponding channel in the remaining small  
6 display screens.

7  
8           **15. (original)** A method as recited in claim 14, wherein the still  
9 image represents a last image captured on the corresponding channel when the  
10 channel was de-selected.

11  
12           **16. (original)** A method as recited in claim 14, further comprising  
13 the step of periodically updating the still image.

14  
15           **17. (original)** A method as recited in claim 1, further comprising the  
16 step of displaying still images captured from corresponding channels in at least  
17 one of the small display screens.

18  
19           **18. (original)** A method as recited in claim 17, further comprising  
20 the step of occasionally updating the still images in the small display screens.

21  
22           **19. (original)** A method as recited in claim 17, further comprising  
23 the step of updating the still images in the small display screens in response to  
24 activation of a button on a remote control unit.

25

1           **20. (currently amended)**     A method comprising the following  
2 steps:

3           generating a primary display screen having multiple small display screens,  
4 each small display screen corresponding to a recently selected channel;

5           displaying a live television broadcast via the primary display screen  
6 through a web browser program; and

7           applying a focus to one of the small display screens to designate the one  
8 small display screen as active and containing a currently selected channel and to  
9 differentiate the active small display screen from remaining ones of the small  
10 display screens.

11  
12           **21. (original)**     A method as recited in claim 20, further comprising  
13 the step of enlarging the active small display screen to full-screen mode and  
14 removing the remaining small display screens.

15  
16           **22. (original)**     A method as recited in claim 20, further comprising  
17 the step of moving the focus from the active small display screen to a second small  
18 display screen to render active the second small display screen and to de-select the  
19 active small display screen.

20  
21  
22  
23  
24  
25

1           **23. (previously presented)**   A method as recited in claim 20, further  
2 comprising the following steps:

3           displaying a live television broadcast signal from the channel in the active  
4 small display screen; and

5           displaying still images of corresponding channels in the remaining small  
6 display screens.

7  
8           **24. (original)**   A method as recited in claim 23, further comprising  
9 the step of occasionally updating the still images in the small display screens.

10  
11           **25. (original)**   A method as recited in claim 23, further comprising  
12 the step of updating the still images in the small display screens in response to  
13 activation of a button on a remote control unit.

14  
15           **26. (currently amended)**   A method comprising the following  
16 steps:

17           generating a primary display screen having multiple small display screens,  
18 each small display screen corresponding to a recently selected channel;

19           displaying a live television broadcast via the primary display screen  
20 through a web browser program; and

21           displaying still images captured from corresponding channels in the small  
22 display screens.

23

24

25

1           **27. (original)**   A method as recited in claim 26, further comprising  
2 the step of updating the still images in the small display screens.

3  
4           **28. (original)**   A method as recited in claim 26, further comprising  
5 the step of displaying a live television broadcast signal in at least one of the small  
6 display screens.

7  
8           **29. (currently amended)**   A client system capable of receiving  
9 multiple television channels, comprising:

10           a processor; and

11           a memory coupled to the processor, the memory having stored therein  
12 executable instructions which, when executed by the processor, cause the  
13 processor to perform the following steps:

14               determining whether a television channel has been recently selected by  
15 a user;

16               adding the television channel to a list of selected channels if the  
17 television channel was determined to be recently selected;

18               generating a primary display screen having multiple small display  
19 screens, each small display screen corresponding to one of the selected  
20 channels; and

21               wherein the primary display screen comprises a ~~screen-image~~ live  
22 television broadcast displayed through an interactive display environment  
23 including World Wide Web content.

24  
25           **30. (canceled)**

1  
2       **31. (original)**   A client system as recited in claim 29, wherein the  
3 primary display screen is a Hypertext Mark-up Language (HTML) object.

4  
5       **32. (original)**   An Internet system, comprising:  
6 at least one server system;  
7 one or more of the client systems as recited in claim 29; and  
8 a wide area network (WAN) interconnecting the server system and the one  
9 or more client systems.

10  
11       **33. (currently amended)**   A computer-readable medium having  
12 computer-executable instructions for performing the following steps:

13       determining whether a television channel has been recently selected by a  
14 user;

15       adding the television channel to a list of selected channels if the television  
16 channel was determined to be recently selected;

17       generating a primary display screen having multiple small display screens,  
18 each small display screen corresponding to one of the selected channels; and

19       displaying a live television broadcast via the primary display screen ~~on a~~  
20 television through a web browser program.

21  
22  
23  
24  
25

1           **34. (currently amended)**       A computer-readable medium having  
2 computer-executable instructions for performing the following steps:

3           generating a primary display screen having multiple small display screens,  
4 each small display screen corresponding to a recently selected channel;

5           displaying a live television broadcast via the primary display screen  
6 through a web browser program; and

7           applying a focus to an active small display screen to designate the active  
8 small display screen as containing a currently selected television channel and to  
9 differentiate the active small display screen from remaining ones of the small  
10 display screens.

11  
12           **35. (currently amended)**       A computer-readable medium having  
13 computer-executable instructions for performing the following steps:

14           generating a primary display screen having multiple small display screens,  
15 each small display screen corresponding to a recently selected channel;

16           displaying a live television broadcast via the primary display screen  
17 through a web browser program; and

18           displaying still images captured from corresponding channels in the small  
19 display screens.

20

21

22

23

24

25

1           **36. (currently amended)**       In a set-top box system capable of  
2 receiving and presenting both television and Web content on a television, a user  
3 interface executing on the set-top box system comprising a primary display screen  
4 having multiple small display screens, the primary display screen ~~being displayed~~  
5 capable of displaying a live television broadcast through a web browser program  
6 and each small display screen corresponding to a channel recently selected by a  
7 user, the user interface also having a movable focus to designate one of the small  
8 display screens from remaining ones of the small display screens.

9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25